IN THE CLAIMS:

Please amend claim 11, cancel claim 14 without prejudice, and add new claim 21 as follows:

1. (Original) A device for eliminating poisons and pollutants from the human body and for revitalizing cells, the device comprising:

an upper cover being adjustable in temperature and forming a first five-primary substance stone coating layer therein;

a lower mat being adjustable in temperature and forming vibrators and a second five-primary substance stone coating layer therein, the upper cover and the lower mat defining an interior space;

at least one herb essence supplier connected to the interior space formed by the upper cover and the lower mat, the herb essence supplier having a discharge outlet connected to the interior space; and

an air pump connected to the herb essence supplier for supplying air.

- 2. (Original) The device of claim 1, wherein the herb essence supplier comprises a heat type herb essence supplier for evaporating herb essence by an electrical resistive wire to thereby supply the evaporated herb essence.
- 3. (Original) The device of claim 1, wherein the herb essence supplier comprises a vibration type herb essence supplier for emitting the herb essence by vibrating herb contained therein.
- 4. (Original) The device of claim 1, wherein the herb essence supplier comprises a combustion type herb essence supplier for burning herb contained therein to supply the perfume therefrom.
- 5. (Original) The device of claim 1, further comprising a plurality of herb essence suppliers connected in parallel.

- 6. (Original) The device of claim 4, wherein the combustion type herb essence supplier burns the herb by using either a resistive wiring or a heating ignition hole connected to an electrical source.
- 7. (Original) The device of claim 1, wherein the first five-primary substance stone is a mixture of powders of about 10% to 20% by weight of a fulcrum stone, about 10% to 20% by weight of mastodon bones, about 30% to 40% by weight of an elvan, about 10% to 20% by weight of mica, and about 10% to 20% by weight of a loadstone.
- 8. (Original) The device of claim 1, wherein the second five-primary substance stone is a mixture of powders of about 10% to 20% by weight of a fulcrum stone, about 10% to 20% by weight of mastodon bones, about 30% to 40% by weight of an elvan, about 10% to 20% by weight of mica, and about 10% to 20% by weight of a loadstone.
- . 9. (Original) The device of claim 1, further comprising an attachment device connected to the discharge outlet of the herb essence supplier, the attachment device having a five primary substance stone at least partially coated on a bottom surface thereof.
- 10. (Original) The device of claim 1, wherein the air pump provides negatively ionized air.
- 11. (Currently amended) A device for providing therapeutic healing to a body, the device comprising:

a lower mat;

an upper cover coupled to the lower mat to defining an interior space for placing the body therein;

at least one herb essence supplier having an inlet and an outlet, the outlet in gaseous communication with the interior space to provide herb essence to the interior space; and

an air pump connected to the inlet of the herb essence supplier for supplying air to the interior space,

wherein the upper cover is coated with five-primary substance stone comprising a mixture of powders of about 10% to 20% by weight of a fulcrum stone, about 10% to 20% by weight of mastodon bones, about 30% to 40% by weight of an elvan, about 10% to 20% by weight of mica, and about 10% to 20% by weight of a loadstone.

- 12. (Original) The device of claim 11, wherein the lower mat includes a plurality of protrusions for stimulating acupuncture points of the body.
- 13. (Original) The device of claim 12, wherein the plurality of protrusions are coated with five-primary substance stone comprising a mixture of powders of about 10% to 20% by weight of a fulcrum stone, about 10% to 20% by weight of mastodon bones, about 30% to 40% by weight of an elvan, about 10% to 20% by weight of mica, and about 10% to 20% by weight of a loadstone.

14. (Canceled)

- 15. (Original) The device of claim 11, wherein the herb essence supplier comprises a heat type herb essence supplier for evaporating herb essence by an electrical resistive wire to thereby supply the evaporated herb essence.
- 16. (Original) The device of claim 11, wherein the herb essence supplier comprises a vibration type herb essence supplier for emitting the herb essence by vibrating herb contained therein.
- 17. (Original) The device of claim 11, wherein the herb essence supplier comprises a combustion type herb essence supplier for burning herb contained therein to supply the perfume therefrom.

- 18. (Original) The device of claim 11, further comprising a plurality of herb essence suppliers connected in parallel.
- 19. (Original) The device of claim 17, wherein the combustion type herb essence supplier burns the herb by using either a resistive wiring or a heating ignition hole connected to an electrical source.
- 20. (Original) The device of claim 11, wherein the air pump provides negatively ionized air.
- 21. (New) A device for providing therapeutic healing to a body, the device comprising:

a lower mat including a plurality of protrusions for stimulating acupuncture points of the body;

an upper cover coupled to the lower mat to defining an interior space for placing the body therein;

at least one herb essence supplier having an inlet and an outlet, the outlet in gaseous communication with the interior space to provide herb essence to the interior space; and

an air pump connected to the inlet of the herb essence supplier for supplying air to the interior space,

wherein the plurality of protrusions are coated with five-primary substance stone comprising a mixture of powders of about 10% to 20% by weight of a fulcrum stone, about 10% to 20% by weight of mastodon bones, about 30% to 40% by weight of an elvan, about 10% to 20% by weight of mica, and about 10% to 20% by weight of a loadstone.